

Revision Date 200F E EH

Version 2

SAFETY DATA SHEET

	1. IDENTIFICATION		
Product Name	Formaldehyde, 37%		
Product Code CAS No. Synonyms Chemical Formula	ØÝ€€JJÉ2ØÝ€€JÌÉ2ØÝ€€JÏÁ2ØÝ€€JÎÉ2ØÝ€€JÍÉ2ØÝ€€JI 50-00-0 None HCHO		
Recommended Use	For laboratory, scientific, R&D or manufacturing use.		
Company	Ôæ)&^¦ÁÖãæť}[•cã&•,Inc. 116 Page Point Circle Ö`¦@æ(ĐŽ⊳ÔÁGIÏ€H Tel. (8ÏÏ)ÌIÎḖHJH ,,,,È&a)&^¦åãæť}[•cã&eÈb[{Á		
Emergency Telephone	Call CHEMTREC 1-800-424-9300		

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Gases)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 1
Flammable liquids	Category 4

Label elements

Signal word Danger

Hazard statements

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. Causes damage to organs. Combustible liquid



Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep cool.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting. In case of fire: Use CO2, dry chemical, or foam for extinction.

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Water	7732-18-5	>50
Formaldehyde	50-00-0	37
Methyl alcohol	67-56-1	~11

4. FIRST AID MEASURES

Description of first aid measures

Eye contact	Immediately flush with plenty of water for at least 15 minutes, separating eyelids occasionally. Remove contact lenses if present. Get immediate medical attention.
Skin contact	Wash thoroughly with soap and water while removing contaminated garments. Get medical attention if irritation develops. Wash contaminated clothing before reuse.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.
Ingestion	Do NOT induce vomiting unless instructed to do so by medical personnel. If conscious, rinse mouth and give several glasses of water to drink. Never give anything by mouth to an unconscious person. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms

Causes skin, eye and respiratory tract irritation. If swallowed, causes GI disturbances. May cause allergic skin reaction.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog) CO2, dry chemical, dry sand, alcohol-resistant foam

Specific hazards arising from the chemical

No information available.

Protective equipment and precautions for firefighters

Firefighters should wear self-contained breathing apparatus with full facepiece operated in pressure-demand or other positive pressure mode.

NFPA I	Health hazards 3	Flammability 2	Instability 0	Physical and Chemical Properties -
	6. ACC	IDENTAL RELEAS	E MEASURES	
Personal precautions, pr	otective equipment a	nd emergency procedu	ires	
Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas.				
Methods and material for	containment and cle	aning up		
Methods for containment		Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.		
Methods for cleaning up	Absorb spill with inert material, scoop up and containerize for disposal.			for disposal.
7. HANDLING AND STORAGE				
Precautions for safe han	dling Handle in	accordance with good in	ndustrial hygiene and saf	ety practice.
Storage Conditions	-	Keep container tightly closed in a dry and well-ventilated place. Store at 15C to 25C. Keep from freezing.		
Incompatible materials	Strong ox	idizing agents. Bases.		
8. EXPOSURE CONTROLS/PERSONAL PROTECTION				

Occupational exposure limits

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde 50-00-0	Ceiling: 0.3 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm unless specified in 1910.1048 (vacated) STEL: 10 ppm 30 min unless specified in 1910.1048 (vacated) Ceiling: 5 ppm unless specified in 1910.1048 STEL: 2 ppm see 29 CFR 1910.1048	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm
Methyl alcohol 67-56-1	STEL: 250 ppm TWA: 200 ppm Skin	TWA: 200 ppm TWA: 260 mg/m ³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m ³ (vacated) STEL: 250 ppm	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³

	(vacated) STEL: 325 mg/m ³ (vacated) Skin	
--	---	--

Appropriate engineering controls

Engineering Controls Emergency showers, eyewash stations, ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles. Face protection shield.
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor Odor threshold	Liquid Clear, colorless Strong formaldehyde odor No information available
рH	No information available
Melting point / freezing point	No information available
Boiling point / boiling range	96 C
Flash point	64 C
Evaporation rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	70%
Lower flammability limit:	7%
Vapor pressure	No information available
Vapor density	No information available
Relative density	1.08 g/cm3
Water solubility	Miscible with water No information available
Solubility in other solvents Partition coefficient	No information available
	300 C
Autoignition temperature Decomposition temperature	No information available
Kinematic viscosity	No information available
Allemane viscosity	

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Conditions to avoid	Extremes of temperature and direct sunlight
Incompatible materials	Strong oxidizing agents. Bases.

Hazardous Decomposition Products None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Formaldehyde 50-00-0	= 500 mg/kg (Rat)	= 270 mg/kg (Rabbit)	= 0.578 mg/L (Rat)4 h
Methyl alcohol 67-56-1	= 5628 mg/kg (Rat)	-	= 83.2 mg/L (Rat)4 h

Information on toxicological effects

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Serious eye damage/eye Irritation Sensitization Germ cell mutagenicity Carcinogenicity	irritation	Irritating to ey May cause so No informatic	us damage to eyes. yes, respiratory system ar ensitization by skin contac on available.		gredient as a carcinogen
Chemical Name	AC	CGIH	IARC	NTP	OSHA
Formaldehyde 50-00-0		A2	Group 1	Known	X
ACGIH (American Conf A2 - Suspected Human C IARC (International Age Group 1 - Carcinogenic t NTP (National Toxicolo Known - Known Carcinog OSHA (Occupational Sa X - Present STOT - single exposure	Carcinogen ency for Rese o Humans gy Program) gen	earch on Cance	tion of the US Department of vous system	of Labor)	

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Formaldehyde	-	22.6 - 25.7: 96 h Pimephales	2: 48 h Daphnia magna mg/L LC50
50-00-0		promelas mg/L LC50 flow-through	11.3 - 18: 48 h Daphnia magna
		1510: 96 h Lepomis macrochirus	mg/L EC50 Static
		µg/L LC50 static 41: 96 h	_
		Brachydanio rerio mg/L LC50 static	
		0.032 - 0.226: 96 h Oncorhynchus	
		mykiss mL/L LC50 flow-through 100	
		- 136: 96 h Oncorhynchus mykiss	
		mg/L LC50 static 23.2 - 29.7: 96 h	
		Pimephales promelas mg/L LC50	
		static	
Methyl alcohol	-	28200: 96 h Pimephales promelas	-
67-56-1		mg/L LC50 flow-through 100: 96 h	
		Pimephales promelas mg/L LC50	
		static 19500 - 20700: 96 h	

Oncorhynchus mykiss mg/L LC50
flow-through 18 - 20: 96 h
Oncorhynchus mykiss mL/L LC50
static 13500 - 17600: 96 h Lepomis
macrochirus mg/L LC50
flow-through

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Formaldehyde 50-00-0	0.35
Methyl alcohol 67-56-1	-0.77

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container. Emptied containers may contain residue. Continue to follow label warnings after container is emptied.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde	U122	Included in waste streams:	-	U122
50-00-0		K009, K010, K038, K040,		
		K156, K157		
Methyl alcohol	-	Included in waste stream:	-	U154
67-56-1		F039		

Chemical Name	California Hazardous Waste Status
Formaldehyde	Toxic
50-00-0	Ignitable
Methyl alcohol	Toxic
67-56-1	Ignitable

14. TRANSPORT INFORMATION

Transportation information is provided as a general reference only and may not be applicable in all situations. This information applies to non-bulk shipments only. Per 49 CRF 173.22, it is the shipper's responsibility to ensure that all materials are properly packaged, classified and labeled prior to shipment.

DOT

UN/ID no.	2209
Proper shipping name	Formaldehyde solutions
Hazard Class	8
Packing Group	III
Reportable Quantity (RQ)	270
IATA UN/ID no. Proper shipping name Hazard Class Packing Group	2209 Formaldehyde solutions 8 III

15. REGULATORY INFORMATION

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %		
Formaldehyde - 50-00-0	0.1		
Methyl alcohol - 67-56-1	1.0		
SARA 311/312 Hazard Categories			
Acute health hazard	No		
Chronic Health Hazard	No		
Fire hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde 50-00-0	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ
Methyl alcohol 67-56-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

California Proposition 65	
Carcinogen	
Developmental	
_	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Formaldehyde 50-00-0	Х	X	Х
Methyl alcohol 67-56-1	Х	X	Х

16. OTHER INFORMATION

Prepared By

EKI Regulatory Affairs Email: reg@eki-chem.com

14-Jun-2015

Revision Date Disclaimer 7 UbWff '8 JU bcghJWg, Inc. makes no representation as to the comprehensiveness or accuracy of this document. Individuals using this information, or the product to which it refers, must exercise their independent judgment in determining all appropriateness for a particular purpose. Accordingly, 7 UbWff '8 JU bcghJWg, Inc. will not be responsible for damages of any kind or nature resulting from the use of this information or the corresponding product. No representations or warranties of any kind or nature, including but not limited to: express warranties, implied warranties or merchantability, or warranties of fitness for a particular purpose, are made hereunder with respect to the information set forth herein or to the product to which the information refers.

End of Safety Data Sheet