

Safety Data Sheet

Emergency 1-800-424-9300 Contact (intl.) 1-352-323-3500

# **Eosin Y Powdered Stain**

#### 1. Identification

Durham, NC 27703 1-877-846-5393

Product Name: Eosin Y Powdered Stain

380, 2'4'5'7'-tetra

Synonyms: Acid red 87, CI 45380, 2'4'5'7'-tetra bromofluorescein, Eosin Y Certified Recommended Use: N/A Manufacturer: Cancer Diagnostics, Inc. 116 Page Point Circle

Restrictions on Use: N/A In Case of Emergency: Chemtrec US 1-800-424-9300 Infotrac International 1-352-323-3500

Item #: CME001, CME025, CME050

### 2. Hazards Identification

OSHA Hazard Classification(s): No OSHA Hazard Classifications Applicable Signal Word: N/A Hazard Statement(s): N/A Pictogram(s): N/A

Precautionary Statement(s): Prevention: N/A

Response: N/A

Storage: N/A

Disposal: N/A Descriptions of Hazards not otherwise classified: N/A Percent of mixture with unknown acute toxicity: N/A

3. Composition and Information on Ingredients

Chemical Name	Common Name	CAS #	Concentration %
Eosin Y	Eosin Y Certified	17372-87-1	100

## 4. First Aid Measures

Eye Contact: Flush eyes with water as a precaution.

Skin Contact: Wash off with plenty of water. Remove contaminated clothing and launder before reuse as a precaution.

Inhalation: Move person to fresh air; give artificial respiration if breathing has stopped.

**Ingestion:** Never give anything by mouth to an unconscious person. Rinse mouth with water. Get medical attention if discomfort occurs.

Symptoms: N/A

**Recommendations for immediate medical care/special treatment:** If exposure by any route causes irritation get medical advice/attention.

5. Fire- Fighting Measures

Extinguishing Media: Dry chemical, carbon dioxide, alcohol foam, water.

Fire Hazards (Chemical): Not flammable.

**Special Protective Equipment:** Fire fighters should use self-contained breathing apparatus and protective clothing. **Precautions for Firefighters:** Carbon monoxide and unidentified organic compounds may be formed during combustion.

6. Accidental Release Measures



Emergency 1-800-424-9300 Contact (intl.) 1-352-323-3500

# **Eosin Y Powdered Stain**

**Emergency Procedures:** Evacuate the area of all unnecessary personnel. Wear suitable protective equipment. Eliminate all sources of ignition and provide ventilation.

Protective Equipment: See section 8

Environmental Precautions: Prevent release to the environment by using barriers.

Containment and Clean-Up Procedures: Use barriers to prevent spreading. Collect spill in container. Call waste authorities.

## 7. Handling and Storage

**Handling:** Do not breathe vapors. Do not eat, drink or smoke when using this product. **Storage:** Store in a well-ventilated place. Keep cool. Keep lid tightly closed.

## 8. Exposure Controls/Personal Protection

OSHA Permissible	Exposure Limits	(PELs):
------------------	-----------------	---------

Reagent	CAS #	OSHA PEL TWA
N/A		

## **ACGIH Threshold Limit Values (TLVs):**

Reagent	CAS #	ACGIH PEL TLV	ACGIH STEL
N/A			

**Engineering Controls:** Use in a well ventilated area to prevent exposure. Maintain eyewash fountain and quick-drench facilities in work areas.

**Personal Protective Measures:** Wear gloves, lab coat, eye protection and impervious footwear. Contact lenses should not be worn when working with this material.

Special PPE Requirements: If ventilation hood not available wear respirator.

## 9. Physical and Chemical Properties Section

Appearance: Orange/Red, Powder Molecular Weight: 693.9 Molecular Formula: C20 H8 Br4 O5.2Na pH: N/A **Boiling Point and Boiling Range: N/A** Melting Point/Freezing Point: 0°C Flash Point: N/A Specific Gravity/Relative Density: N/A Odor: N/A Odor Threshold: N/A Color: Orange/Red Flammability (solid/gas): N/A Vapor Density: N/A Upper/Lower flammability or explosive limits: N/A Vapor Pressure: N/A **Evaporation Rate: N/A** Partition Coefficient: n-octanol/water: N/A Viscosity: N/A Auto-ignition temperature: N/A Solubility: N/A **Decomposition Temperature: N/A** 

Safety Data Sheet



Emergency 1-800-424-9300 Contact (intl.) 1-352-323-3500

# **Eosin Y Powdered Stain**

## 10. Stability and Reactivity

Reactivity: Chemical Stability: Stable Conditions of Stability/Instability: Stable under normal conditions of temperature and pressure. Stabilizers needed: None Safety issue indicated by appearance change: N/A Other: N/A Hazardous Reactions: N/A Hazardous Polymerization: Does not occur Conditions to avoid: Incompatible materials, dust generation, excess heat. Classes of Incompatible Materials: Oxidizers, Strong Acids, Strong Bases Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, hydrogen bromide.

## 11. Toxicological Information

Likely Routes of Exposure Eyes: Irritation. Skin: Irritation. Inhalation: Dizziness, headache. Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

### Signs or Symptoms of Exposure: Nausea.

Effects from short term exposure (delayed, immediate, chronic): Irritation to the eyes, nose, throat; headache, dizziness, nausea. Acute Toxicity (Numerical Measures): LD50(oral,mouse)=2344 mg/kg Carcinogenicity (NTP, IARC, OSHA): N/A

## 12. Ecological Information

Ecotoxicity: N/A Persistence and degradability: N/A Bioaccumulation Potential (octanol-water partition coefficient, BCF): N/A Mobility in the soil: N/A Adverse Environmental Effects: N/A

### **13. Disposal Considerations**

Recommended Disposal Containers: Check with your local waste authorities\* Recommended Disposal Methods: Do not dispose of in drains, check with your local waste authorities.\* Physical/Chemical Properties affecting Disposal: See section 2 and section 9 applicable information.\* Special Precautions for Landfill and Incineration Activities: Check with your local waste authorities.\* Waste Stream: Consult your local or regional authorities.\*

## 14. Transport Information

UN Number: Not regulated. UN Proper Shipping Name: Transport Hazard Class(es): Packing Group Number: Environmental Hazards (IMDG code): Marine Pollutant: Transport in Bulk (IBC Code): Special Transport Precautions:





Emergency 1-800-424-9300 Contact (intl.) 1-352-323-3500

# **Eosin Y Powdered Stain**


15. Regulatory Information OSHA: DOT: EPA: CPSC:



Safety Data Sheet

Emergency 1-800-424-9300 Contact (intl.) 1-352-323-3500

# **Eosin Y Powdered Stain**



#### Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.