

DANGER:

Harmful if inhaled.
Causes severe skin
burns and serious eye
damage.

**COMPONENTS**

Deionized Water
Hydrochloric Acid

CAS#

7732-18-5
7647-01-0



For Invitro Diagnostic Use Only

Overnight Bone Decalcifier

DehCL™

DIRECTIONS FOR USE:

Dehcl™, is a mild decalcifier formulated from semiconductor grade hydrochloric acid, EDTA, and highly purified reagent grade water. Dehcl™ can be used to safely decalcify all types of calcified specimens and is gentle enough that most specimens can be left in Dehcl™ overnight without worry of over-decalcification.

Avoid breathing dust, vapors. Use only outdoors or in a well-ventilated area. Do not breathe dusts or mists. Wash body thoroughly after handling. Wear protective gloves and clothing. Wear eye and face protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (OR HAIR): Rinse skin with water/shower. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a doctor. Specific treatment, see first aid section on SDS. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing. STORAGE: Store locked up. DISPOSAL: Dispose of contents/container in accordance with local regulations. NOTICE: Read safety data sheet for additional information.

ANTIDOTE

External: Flood with water for at least 15 minutes.

Internal: Raw egg white, milk, rice gruel. Call a physician.

DANGER: Contains dilute acid. May be corrosive to metallic parts, skin, eyes and clothing. Avoid prolonged contact.

EC REP mdi Europa GmbH Langenhagener Str. 71 D-30855 Langenhagen Germany +49-511-3908 9530

Cancer Diagnostics, Inc. 4300 Emperor Blvd., 400 Durham, NC 27703 (877) 846 5393 Fax: (877) 817 1716

REF DC038 Gal (3.8L) DC100 Liter (1000mL) DC438 Gal (3.8L), CS/4 DC400 Liter (1000mL), CS/4