

► Neutralizer



N-15™

ALDEHYDE NEUTRALIZER POWDER

Contains ~1.3 lb (600g)

For In Vitro Diagnostic Use

► Neutralizer



N-15™

ALDEHYDE NEUTRALIZER POWDER

Contains ~1.3 lb (600g)

For In Vitro Diagnostic Use

Directions: Empty the entire contents of bottle into 1 gallon of spent 10% Formalin or 4% Glutaldehyde. Stir or shake until powder is completely dissolved. Cap the container and let stand for 15 minutes. You may use the aldehyde test kit to test for residual aldehyde. Verify pH between 6 and 9. Dispose of waste to sanitary sewer system in accordance with local POTW requirements.

**Ingredients-Proprietary
DOT-NOT REGULATED
Store at Room Temperature**

24 Hour Emergency Contact: CHEMTREC,
1-800-424-9300 USA and Canada



4300 Emperor Blvd - 400

Durham, NC 27703

Order Toll Free: (877) 846 5393

cancerdiagnostics.com

MADE
IN USA

DANGER

HAZARD STATEMENT(S) : Harmful if swallowed. Harmful in contact with skin. Causes serious eye damage. Suspect of causing genetic defects. **PRECAUTIONARY STATEMENT(S)**: Wash body thoroughly after handling. Do not eat, drink, or smoke when using this product. Wear protective gloves and clothing. Wear eye and face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. **IF SWALLOWED**: Call a doctor if you feel unwell. Rinse mouth. **IF ON SKIN (OR HAIR)**: Wash with plenty of water. Call a doctor if you feel unwell. Specific treatment, see first aid section on the SDS. Take off immediately all contaminated clothing and wash it before reuse. **IF IN EYES** : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor. If exposeror concerned: Get medical attention.

STORAGE: Store locked up. **DISPOSAL** : Dispose of contents/container in accordance with local regulations. **NOTICE**: Read safety data sheet for additional information.



Directions: Empty the entire contents of bottle into 1 gallon of spent 10% Formalin or 4% Glutaldehyde. Stir or shake until powder is completely dissolved. Cap the container and let stand for 15 minutes. You may use the aldehyde test kit to test for residual aldehyde. Verify pH between 6 and 9. Dispose of waste to sanitary sewer system in accordance with local POTW requirements.

**Ingredients-Proprietary
DOT-NOT REGULATED
Store at Room Temperature**

24 Hour Emergency Contact: CHEMTREC,
1-800-424-9300 USA and Canada



4300 Emperor Blvd - 400

Durham, NC 27703

Order Toll Free: (877) 846 5393

cancerdiagnostics.com

MADE
IN USA

DANGER

HAZARD STATEMENT(S) : Harmful if swallowed. Harmful in contact with skin. Causes serious eye damage. Suspect of causing genetic defects. **PRECAUTIONARY STATEMENT(S)**: Wash body thoroughly after handling. Do not eat, drink, or smoke when using this product. Wear protective gloves and clothing. Wear eye and face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. **IF SWALLOWED**: Call a doctor if you feel unwell. Rinse mouth. **IF ON SKIN (OR HAIR)**: Wash with plenty of water. Call a doctor if you feel unwell. Specific treatment, see first aid section on the SDS. Take off immediately all contaminated clothing and wash it before reuse. **IF IN EYES** : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor. If exposeror concerned: Get medical attention.

STORAGE: Store locked up. **DISPOSAL** : Dispose of contents/container in accordance with local regulations. **NOTICE**: Read safety data sheet for additional information.

