

# VIOLET

Shake well before using

**Intended use:** For defining margins of excised tissue

Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

**24 Hour Emergency Contact**

**CHEMTREC USA and Canada 800-424-9300**

**Warning** Causes skin irritation. Causes eye irritation.

Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

**IF ON SKIN:** Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention.

Store locked up. Dispose of contents/container in accordance with local regulations.

59°F (15°C)  86°F (30°C)



Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400  
Durham, NC 27703 USA

EC REP

mdi Europa GmbH Langenhagener Str. 71  
D-30855 Langenhagen Germany +49-511-3908 9530



IVD



MADE IN USA  
(877.846.5393)

LOT



MX1195 8oz Flip-Top, Violet AW-17185 Rev.C 2020-02-04



CANCER  
DIAGNOSTICS, INC.

## CDI's® Tissue Marking Dyes

# VIOLET

REF 0728-7

8 OZ. (237ML) FLIP-TOP, (VIOLET)

[cancerdiagnostics.com](http://cancerdiagnostics.com)