Shake well before using

Intended use: For defining margins of excised tissue Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

24 Hour Emergency Contact CHEMTREC USA and Canada 800-424-9300

F (15°C)

Warrining: Causes skin invasion. Causes oper invasion. Wash skin thoroughly after handling. Ware see protection file and containised cohinge and wash it before rouse. IF IN EYES: Rose causously with water for several minutes. Ramove contact lenses, if present and easy to do. Continue rensing. IF ON SKINE: Wash with planty of ourgo and water. If they or skin invitation persists. Gen model adviced attention. Storie locked up. Dispose of contential containing in a container with local regulations.



LOT

Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400 Durham, NC 27703 USA

EC REP mdi Europa GmbH Langenhagener Str. 71 D-30855 Langenhagen Germany +49-511-3908 9530





CDI's° Tissue Marking Dyes



REF 0727-2 2 OZ. (59ML) FLIP-TOP, (BLUE)

cancerdiagnostics.com

MX1200 2oz Flip-Top, Blue AW-17191 Rev.C 2020-02-05