

All·Fix™

Formalin Substitute

REF #FX 1073

I Gallon (3.8L)

LOT





Date Received:	Date Opened:

All Fix™ is a general purpose fixative designed to replace formalin as a routine fixative. It is a substitute for 10% NBF that contains no Formaldehyde/Formalin. All Fix™ is buffered to produce optimum staining with hematoxylin and eosin. This fixative produces histologic results similar to or better than those following fixation with 10% NBF. Subcellular organelles are well fixed and remain intact, and erythrocytes are not lysed. The fixation artifacts are similar to those obtained with formalin, and staining times for hematoxylin and eosin are the same as that used following fixation with 10% NBF.

DANGER HAZARD STATEMENTS



Causes skin and serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause genetic defects. May cause cancer. Causes damage to organs (respiratory system). May cause damage to organs (respiratory system, central nervous system, liver, blood) through prolonged or repeated exposure.

PRECAUTIONARY STATEMENTS - PREVENTION

Wash body thoroughly after handling. Wear protective gloves and clothing. Wear eye and face protection. Avoid breathing dust, vapors, Wear NIOSH approved respiratory protection. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust, vapors. Do not eat, drink, or smoke when using this product.

PRECAUTIONARY STATEMENTS - RESPONSE

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing, If eye irritation persists; get medical attention.

IF ON SKIN: Wash with plenty of water. Specific treatment (see first aid section on this label). If skin irritation or rash occurs; get medical attention. Take off all contaminated clothing and wash it before reuse.

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: call a doctor. If exposed or concerned; get medical attention/call a doctor. Call a doctor if you feel unwell...

STORAGE & DISPOSAL

Store locked up at room temperature. Dispose of contents/container to an approved waste disposal plant.

NOTICE: Read Safety Data Sheet for additional information. EMERGENCY CONTACT: Chemtrec 1-800-424-9300



4300 Emperor Blvd - 400 Durham, NC 27703 Tel: 1-877-846-5393 Fax: 1-877-817-1716




All·Fix™

Formalin Substitute

#FX1074

I Gallon (3.8L) CS/4

LOT



ate Received: Date Opened:		
	ate Received:	Date Opened:

All Fix™ is a general purpose fixative designed to replace formalin as a routine fixative. It is a substitute for 10% NBF that contains no Formaldehyde/Formalin. All Fix™ is buffered to produce optimum staining with hematoxylin and eosin. This fixative produces histologic results similar to or better than those following fixation with 10% NBF. Subcellular organelles are well fixed and remain intact, and erythrocytes are not lysed. The fixation artifacts are similar to those obtained with formalin, and staining times for hematoxylin and eosin are the same as that used following fixation with 10% NBF.

DANGER HAZARD STATEMENTS

D



Causes skin and serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause genetic defects. May cause cancer. Causes damage to organs (respiratory system). May cause damage to organs (respiratory system, central nervous system, liver, blood) through prolonged or repeated exposure.

PRECAUTIONARY STATEMENTS - PREVENTION

Wash body thoroughly after handling. Wear protective gloves and clothing. Wear eye and face protection. Avoid breathing dust, vapors. Wear NIOSH approved respiratory protection. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust, vapors. Do not eat, drink, or smoke when using this product.

PRECAUTIONARY STATEMENTS - RESPONSE

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing, If eye irritation persists; get medical attention.

IF ON SKIN: Wash with plenty of water. Specific treatment (see first aid section on this label). If skin irritation or rash occurs; get medical attention. Take off all contaminated clothing and wash it before reuse.

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: call a doctor. If exposed or concerned; get medical attention/call a doctor. Call a doctor if you feel unwell...

STORAGE & DISPOSAL

Store locked up at room temperature. Dispose of contents/container to an approved waste disposal plant.

NOTICE: Read Safety Data Sheet for additional information. EMERGENCY CONTACT: Chemtrec 1-800-424-9300



4300 Emperor Blvd - 400 Durham, NC 27703 Tel: 1-877-846-5393 Fax: 1-877-817-1716



All·Fix™

Formalin Substitute

#FX1075

5 Gallon (3.8L) CUBE

LOT





Date Received:	Date Opened:	

All Fix™ is a general purpose fixative designed to replace formalin as a routine fixative. It is a substitute for 10% NBF that contains no Formaldehyde/Formalin. All Fix™ is buffered to produce optimum staining with hematoxylin and eosin. This fixative produces histologic results similar to or better than those following fixation with 10% NBF. Subcellular organelles are well fixed and remain intact, and erythrocytes are not lysed. The fixation artifacts are similar to those obtained with formalin, and staining times for hematoxylin and eosin are the same as that used following fixation with 10% NBF.

DANGER HAZARD STATEMENTS



Causes skin and serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause genetic defects. May cause cancer. Causes damage to organs (respiratory system). May cause damage to organs (respiratory system, central nervous system, liver, blood) through prolonged or repeated exposure.

PRECAUTIONARY STATEMENTS - PREVENTION

Wash body thoroughly after handling. Wear protective gloves and clothing. Wear eye and face protection. Avoid breathing dust, vapors. Wear NIOSH approved respiratory protection. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust, vapors. Do not eat, drink, or smoke when using this product.

PRECAUTIONARY STATEMENTS - RESPONSE

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing, If eye irritation persists; get medical attention.

IF ON SKIN: Wash with plenty of water. Specific treatment (see first aid section on this label). If skin irritation or rash occurs; get medical attention. Take off all contaminated clothing and wash it before reuse.

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: call a doctor. If exposed or concerned; get medical attention/call a doctor. Call a doctor if you feel unwell...

STORAGE & DISPOSAL

Store locked up at room temperature. Dispose of contents/container to an approved waste disposal plant.

NOTICE: Read Safety Data Sheet for additional information. EMERGENCY CONTACT: Chemtrec 1-800-424-9300



4300 Emperor Blvd - 400 Durham, NC 27703 Tel: 1-877-846-5393 Fax: 1-877-817-1716