

Shake well before using

**Intended use:** For defining margins of excised tissue  
Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

**24 Hour Emergency Contact**

**CHEMTREC USA and Canada 800-424-9300**



**Warning:** Causes skin irritation. Causes eye irritation. Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention. Store locked up. Dispose of contents/container in accordance with local regulations.



Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400  
Durham, NC 27703 USA

mdi Europa GmbH Langenhagener Str. 71  
D-30855 Langenhagen Germany +49-511-3908 9530

EC REP



IVD



MADE IN USA  
(877.846.5393)

LOT



MX1461 TMD 1000mL Black AW-17944 Rev.B 2020-08-31



CANCER  
DIAGNOSTICS, INC.

# CDI's<sup>®</sup> Tissue Marking Dyes

BLACK

REF 0729-1

1000mL

[cancerdiagnostics.com](http://cancerdiagnostics.com)

Shake well before using

**Intended use:** For defining margins of excised tissue  
Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

**24 Hour Emergency Contact**

**CHEMTREC USA and Canada 800-424-9300**



**Warning:** Causes skin irritation. Causes eye irritation. Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention. Store locked up. Dispose of contents/container in accordance with local regulations.



Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400  
Durham, NC 27703 USA

mdi Europa GmbH Langenhagener Str. 71  
D-30855 Langenhagen Germany +49-511-3908 9530

EC REP



IVD



MADE IN USA  
(877.846.5393)

LOT



MX1462 TMD 1000mL Blue AW-17944 Rev.B 2020-08-31



CANCER  
DIAGNOSTICS, INC.

# CDI's<sup>®</sup> Tissue Marking Dyes

BLUE

REF 0729-2

1000mL

[cancerdiagnostics.com](http://cancerdiagnostics.com)

Shake well before using

**Intended use:** For defining margins of excised tissue  
Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

**24 Hour Emergency Contact**

**CHEMTREC USA and Canada 800-424-9300**



**Warning:** Causes skin irritation. Causes eye irritation. Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention. Store locked up. Dispose of contents/container in accordance with local regulations.



Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400  
Durham, NC 27703 USA

mdi Europa GmbH Langenhagener Str. 71  
D-30855 Langenhagen Germany +49-511-3908 9530

EC REP



IVD



MADE IN USA  
(877.846.5393)

LOT



MX1463 TMD 1000mL Green AW-17944 Rev.B 2020-08-31



CANCER  
DIAGNOSTICS, INC.

# CDI's® Tissue Marking Dyes

GREEN

REF 0729-3

1000mL

[cancerdiagnostics.com](http://cancerdiagnostics.com)

Shake well before using

**Intended use:** For defining margins of excised tissue  
Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

**24 Hour Emergency Contact**

**CHEMTREC USA and Canada 800-424-9300**



**Warning:** Causes skin irritation. Causes eye irritation. Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention. Store locked up. Dispose of contents/container in accordance with local regulations.

 Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400  
Durham, NC 27703 USA

mdi Europa GmbH Langenhagener Str. 71  
D-30855 Langenhagen Germany +49-511-3908 9530

EC REP



IVD



MADE IN USA  
(877.846.5393)

LOT



MX1464 TMD 1000mL Red AW-17944 Rev.B 2020-08-31



CANCER  
DIAGNOSTICS, INC.

# CDI's<sup>®</sup> Tissue Marking Dyes

RED

REF 0729-4

1000mL

[cancerdiagnostics.com](http://cancerdiagnostics.com)

Shake well before using

**Intended use:** For defining margins of excised tissue  
Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

**24 Hour Emergency Contact**

**CHEMTREC USA and Canada 800-424-9300**



**Warning:** Causes skin irritation. Causes eye irritation. Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention. Store locked up. Dispose of contents/container in accordance with local regulations.

 Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400  
Durham, NC 27703 USA

mdi Europa GmbH Langenhagener Str. 71  
D-30855 Langenhagen Germany +49-511-3908 9530

EC REP



IVD



MADE IN USA  
(877.846.5393)

LOT



MX1465 TMD 1000mL Yellow AW-17944 Rev.B 2020-08-31



# CDI's<sup>®</sup> Tissue Marking Dyes

YELLOW

REF 0729-5

1000mL

[cancerdiagnostics.com](http://cancerdiagnostics.com)

Shake well before using

**Intended use:** For defining margins of excised tissue  
Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

**24 Hour Emergency Contact**

**CHEMTREC USA and Canada 800-424-9300**



**Warning:** Causes skin irritation. Causes eye irritation. Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention. Store locked up. Dispose of contents/container in accordance with local regulations.

 Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400  
Durham, NC 27703 USA

mdi Europa GmbH Langenhagener Str. 71  
D-30855 Langenhagen Germany +49-511-3908 9530

EC REP



IVD



MADE IN USA  
(877.846.5393)

LOT



MX1466 TMD 1000mL Orange AW-17944 Rev.B 2020-08-31



CANCER  
DIAGNOSTICS, INC.

# CDI's<sup>®</sup> Tissue Marking Dyes

ORANGE

REF 0729-6

1000mL

[cancerdiagnostics.com](http://cancerdiagnostics.com)

Shake well before using

**Intended use:** For defining margins of excised tissue  
Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

**24 Hour Emergency Contact**

**CHEMTREC USA and Canada 800-424-9300**



**Warning:** Causes skin irritation. Causes eye irritation. Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention. Store locked up. Dispose of contents/container in accordance with local regulations.

 Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400  
Durham, NC 27703 USA

mdi Europa GmbH Langenhagener Str. 71  
D-30855 Langenhagen Germany +49-511-3908 9530

EC REP



IVD



MADE IN USA  
(877.846.5393)

LOT



MX1467 TMD 1000mL Violet AW-17944 Rev.B 2020-08-31



CANCER  
DIAGNOSTICS, INC.

# CDI's® Tissue Marking Dyes

VIOLET

REF 0729-7

1000mL

[cancerdiagnostics.com](http://cancerdiagnostics.com)