

Shake well before using

Intended use: For defining margins of excised tissue
Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

24 Hour Emergency Contact

CHEMTREC USA and Canada 800-424-9300



Warning: Causes skin irritation. Causes eye irritation. Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention. Store locked up. Dispose of contents/container in accordance with local regulations.

 Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400
Durham, NC 27703 USA

mdi Europa GmbH Langenhagener Str. 71
D-30855 Langenhagen Germany +49-511-3908 9530

EC REP



IVD



MADE IN USA
(877.846.5393)

LOT



MX1467 TMD 1000mL Violet AW-17944 Rev.B 2020-08-31



CANCER
DIAGNOSTICS, INC.

CDI's® Tissue Marking Dyes

VIOLET

REF 0729-7

1000mL

cancerdiagnostics.com