

BLACK

Shake well before using

Intended use: For defining margins of excised tissue

Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

24 Hour Emergency Contact

CHEMTREC USA and Canada 800-424-9300

Warning Causes skin irritation. Causes eye irritation.

Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention.

Store locked up. Dispose of contents/container in accordance with local regulations.

59°F (15°C)  86°F (30°C)



Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400
Durham, NC 27703 USA

EC REP

mdi Europa GmbH Langenhagener Str. 71
D-30855 Langenhagen Germany +49-511-3908 9530



IVD



MADE IN USA
(877.846.5393)

LOT



CANCER
DIAGNOSTICS, INC.

CDI's® Tissue Marking Dyes

BLACK

REF 0728-1

8 OZ. (237ML) FLIP-TOP, (BLACK)

cancerdiagnostics.com

BLUE

Shake well before using

Intended use: For defining margins of excised tissue

Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

24 Hour Emergency Contact

CHEMTREC USA and Canada 800-424-9300

Warning Causes skin irritation. Causes eye irritation.

Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention.

Store locked up. Dispose of contents/container in accordance with local regulations.

59°F (15°C)  86°F (30°C)



Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400
Durham, NC 27703 USA

EC REP

mdi Europa GmbH Langenhagener Str. 71
D-30855 Langenhagen Germany +49-511-3908 9530



IVD



MADE IN USA
(877.846.5393)

LOT



CANCER
DIAGNOSTICS, INC.

CDI's® Tissue Marking Dyes

BLUE

REF 0728-2

8 OZ. (237ML) FLIP-TOP, (BLUE)

GREEN

Shake well before using

Intended use: For defining margins of excised tissue

Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

24 Hour Emergency Contact

CHEMTREC USA and Canada 800-424-9300

Warning Causes skin irritation. Causes eye irritation.

Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention.

Store locked up. Dispose of contents/container in accordance with local regulations.

59°F (15°C)  86°F (30°C)



Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400
Durham, NC 27703 USA

EC REP

mdi Europa GmbH Langenhagener Str. 71
D-30855 Langenhagen Germany +49-511-3908 9530



IVD



MADE IN USA
(877.846.5393)

LOT



CANCER
DIAGNOSTICS, INC.

CDI's® Tissue Marking Dyes

GREEN

REF 0728-3

8 OZ. (237ML) FLIP-TOP, (GREEN)

RED

Shake well before using

Intended use: For defining margins of excised tissue

Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

24 Hour Emergency Contact**CHEMTREC USA and Canada 800-424-9300****Warning** Causes skin irritation. Causes eye irritation.Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention.

Store locked up. Dispose of contents/container in accordance with local regulations.

59°F (15°C)  86°F (30°C)Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400
Durham, NC 27703 USA

EC REP

mdi Europa GmbH Langenhagener Str. 71
D-30855 Langenhagen Germany +49-511-3908 9530

IVD

MADE IN USA
(877.846.5393)

LOT



MX1192 8oz Flip-Top, Red AW-17182 Rev.C 2020-02-04

CANCER
DIAGNOSTICS, INC.**CDI's[®]**
Tissue Marking
Dyes**RED**

REF 0728-4

8 OZ. (237ML) FLIP-TOP, (RED)

cancerdiagnostics.com

YELLOW

Shake well before using

Intended use: For defining margins of excised tissue

Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

24 Hour Emergency Contact

CHEMTREC USA and Canada 800-424-9300

Warning Causes skin irritation. Causes eye irritation.

Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention.

Store locked up. Dispose of contents/container in accordance with local regulations.

59°F (15°C)  86°F (30°C)



Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400
Durham, NC 27703 USA

EC REP

mdi Europa GmbH Langenhagener Str. 71
D-30855 Langenhagen Germany +49-511-3908 9530



IVD



MADE IN USA
(877.846.5393)

LOT



CANCER
DIAGNOSTICS, INC.

CDI's® Tissue Marking Dyes

YELLOW

REF 0728-5

8 OZ. (237ML) FLIP-TOP, (YELLOW)

cancerdiagnostics.com

ORANGE

Shake well before using

Intended use: For defining margins of excised tissue

Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

24 Hour Emergency Contact

CHEMTREC USA and Canada 800-424-9300

Warning Causes skin irritation. Causes eye irritation.

Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention.

Store locked up. Dispose of contents/container in accordance with local regulations.

59°F (15°C)  86°F (30°C)



Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400
Durham, NC 27703 USA

EC REP

mdi Europa GmbH Langenhagener Str. 71
D-30855 Langenhagen Germany +49-511-3908 9530



IVD



MADE IN USA
(877.846.5393)

LOT



MX1194 8oz Flip-Top, Orange AW-17184 Rev.C 2020-02-04



CANCER
DIAGNOSTICS, INC.

CDI's® Tissue Marking Dyes

ORANGE

REF 0728-6

8 OZ. (237ML) FLIP-TOP, (ORANGE)

cancerdiagnostics.com

VIOLET

Shake well before using

Intended use: For defining margins of excised tissue

Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

24 Hour Emergency Contact

CHEMTREC USA and Canada 800-424-9300

Warning Causes skin irritation. Causes eye irritation.

Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention.

Store locked up. Dispose of contents/container in accordance with local regulations.

59°F (15°C)  86°F (30°C)



Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400
Durham, NC 27703 USA

EC REP

mdi Europa GmbH Langenhagener Str. 71
D-30855 Langenhagen Germany +49-511-3908 9530



IVD



MADE IN USA
(877.846.5393)

LOT



MX1195 8oz Flip-Top, Violet AW-17185 Rev.C 2020-02-04



CANCER
DIAGNOSTICS, INC.

CDI's® Tissue Marking Dyes

VIOLET

REF 0728-7

8 OZ. (237ML) FLIP-TOP, (VIOLET)

cancerdiagnostics.com

GOLD

Shake well before using

Intended use: For defining margins of excised tissue

Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

24 Hour Emergency Contact

CHEMTREC USA and Canada 800-424-9300

Warning Causes skin irritation. Causes eye irritation.

Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention.

Store locked up. Dispose of contents/container in accordance with local regulations.

59°F (15°C)  86°F (30°C)



Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400
Durham, NC 27703 USA

EC REP

mdi Europa GmbH Langenhagener Str. 71
D-30855 Langenhagen Germany +49-511-3908 9530



IVD



MADE IN USA
(877.846.5393)

LOT



MX1196 8oz Flip-Top, Gold AW-17186 Rev.C 2020-02-04



CANCER
DIAGNOSTICS, INC.

CDI's® Tissue Marking Dyes

GOLD

REF 0728-8

8 OZ. (237ML) FLIP-TOP, (GOLD)

cancerdiagnostics.com

TEAL

Shake well before using

Intended use: For defining margins of excised tissue

Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

24 Hour Emergency Contact

CHEMTREC USA and Canada 800-424-9300

Warning Causes skin irritation. Causes eye irritation.

Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention.

Store locked up. Dispose of contents/container in accordance with local regulations.

59°F (15°C)  86°F (30°C)



Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400
Durham, NC 27703 USA

EC REP

mdi Europa GmbH Langenhagener Str. 71
D-30855 Langenhagen Germany +49-511-3908 9530



IVD



MADE IN USA
(877.846.5393)

LOT



CANCER
DIAGNOSTICS, INC.

CDI's® Tissue Marking Dyes

TEAL

REF 0728-9

8 OZ. (237ML) FLIP-TOP, (TEAL)

cancerdiagnostics.com

MAGENTA

Shake well before using

Intended use: For defining margins of excised tissue

Apply dyes to fresh or formalin fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

24 Hour Emergency Contact

CHEMTREC USA and Canada 800-424-9300

Warning Causes skin irritation. Causes eye irritation.

Wash skin thoroughly after handling. Wear eye protection/ face protection. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water. If eye or skin irritation persists: Get medical advice/ attention.

Store locked up. Dispose of contents/container in accordance with local regulations.

59°F (15°C)  86°F (30°C)



Cancer Diagnostics, Inc. 4300 Emperor Blvd - 400
Durham, NC 27703 USA

EC REP

mdi Europa GmbH Langenhagener Str. 71
D-30855 Langenhagen Germany +49-511-3908 9530



IVD



MADE IN USA
(877.846.5393)

LOT



MX1198 8oz Flip-Top, Magenta AW-17188 Rev.C 2020-02-04



CANCER
DIAGNOSTICS, INC.

CDI's® Tissue Marking Dyes

MAGENTA

REF 0728-10

8 OZ. (237ML) FLIP-TOP, (MAGENTA)

cancerdiagnostics.com