

Shake well before using

Apply dye to fresh or recently fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

BLACK

Warning: Causes skin irritation. Causes eye irritation. Wash skin thoroughly after handling. Wear eye and face protection. Take off contaminated clothing and wash it before reuse. Store Locked Up. Dispose of contents in accordance with local regulations.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Wash with plenty of soap and water. If red or skin irritation persists, Get medical advice or attention.

 Cancer Diagnostics, Inc.
4200 Superior Blvd, #400, Durham NC 27705 USA
 and Europa GmbH Langenloper Str. 71 D-30855
Langenhagen Germany +49 511 3908 9330



100% (100%)
100% (100%)



24 Hour Emergency Contact: USA and Canada 800-424-9300
MX) 229 Applicator Series, Black AW-17210 Rev.B 2020-02-05



CANCER
DIAGNOSTICS, INC.

CDI's®

Tissue Marking Dye

APPLICATOR SERIES™

REF 0726-1

.10 FL. OZ., (3ML), FINE LINE BRUSH CAP, PK/5

BLACK

cancerdiagnostics.com

MADE IN USA

Shake well before using

Apply dye to fresh or frozen fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

BLUE

Warning: Causes skin irritation. Causes eye irritation. Wash skin thoroughly after handling. Wear eye and face protection. Take off contaminated clothing and wash it before reuse. Store Locked Up. Dispose of contents in accordance with local regulations.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Wash with plenty of soap and water. If red or skin irritation persists, Get medical advice or attention.

 Cancer Diagnostics, Inc.
4200 Superior Blvd, #400, Durham NC 27705 USA
 and Europa GmbH Langenloper Str. 71 D-30855
Langenhagen Germany +49 511 3908 9330



100% (100%)
100% (100%)



24 Hour Emergency Contact: USA and Canada 800-424-9300
MX) 230 Applicator Series, Blue AM-17211 Rev.B 2020-02-05



CANCER
DIAGNOSTICS, INC.

CDI's®

Tissue Marking Dye
APPLICATOR SERIES™

REF 0726-2

.10 FL. OZ., (3ML), FINE LINE BRUSH CAP, PK/5

BLUE

cancerdiagnostics.com

MADE IN USA

Shake well before using

Apply dye to fresh or frozen fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

GREEN

Warning: Causes skin irritation. Causes eye irritation. Wash skin thoroughly after handling. Wear eye and face protection. Take off contaminated clothing and wash it before reuse. Store Locked Up. Dispose of contents in accordance with local regulations.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Wash with plenty of soap and water. If red or skin irritation persists, Get medical advice or attention.

 Cancer Diagnostics, Inc.
4200 Superior Blvd, #400, Durham NC 27705 USA
 and Europa GmbH Langenloper Str. 71 D-30855
Langenhagen Germany +49 511 3908 9330



311 (10%)
312 (10%)
332 (10%)



CANCER
DIAGNOSTICS, INC.

CDI's®

Tissue Marking Dye

APPLICATOR SERIES™

REF 0726-3

.10 FL. OZ., (3ML), FINE LINE BRUSH CAP, PK/5

GREEN

cancerdiagnostics.com

MADE IN USA

24 Hour Emergency Contact: USA and Canada 800-424-9308

MX1231 Applicator Series, Green AYW-17212 Rev.B 2020-02-05

Shake well before using

Apply dye to fresh or frozen fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

RED

Warning: Causes skin irritation. Causes eye irritation. Wash skin thoroughly after handling. Wear eye and face protection. Take off contaminated clothing and wash it before reuse. Store Locked Up. Dispose of contents in accordance with local regulations.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Wash with plenty of soap and water. If red or skin irritation persists. Get medical advice or attention.

 Cancer Diagnostics, Inc.
4200 Superior Blvd, #400, Durham NC 27705 USA
 and Europa GmbH Langenloper Str. 71 D-30855
Langenhagen Germany +49 51 1-3908 9330



1-800 (20°C)
1-867 (20°C)



24 Hour Emergency Contact: USA and Canada 800-424-9300
MX1232 Applicator Series, Red AWW-17213 Rev.B 2020-02-05



CANCER
DIAGNOSTICS, INC.

CDI's®

Tissue Marking Dye
APPLICATOR SERIES™

REF 0726-4

.10 FL. OZ., (3ML), FINE LINE BRUSH CAP, PK15

RED

cancerdiagnostics.com

MADE IN USA

Shake well before using

Apply dye to fresh or frozen fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

YELLOW

Warning: Causes skin irritation. Causes eye irritation. Wash skin thoroughly after handling. Wear eye and face protection. Take off contaminated clothing and wash it before reuse. Store Locked Up. Dispose of contents in accordance with local regulations.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Wash with plenty of soap and water. If eye or skin irritation persists, Get medical advice or attention.

 Cancer Diagnostics, Inc.
4200 Superior Blvd, #400, Durham NC 27705 USA
 and Europa GmbH Langenloper Str. 71 D-30855
Langenhagen Germany +49 511 3908 9330



31F (15°C)  86F (30°C)



24 Hour Emergency Contact: USA and Canada 800-424-9300
MX) 233 Applicator Series, Yellow AW-17214 Rev.B 2020-02-05



CANCER
DIAGNOSTICS, INC.

CDI's®

Tissue Marking Dye
APPLICATOR SERIES™

REF 0726-5

.10 FL. OZ., (3ML), FINE LINE BRUSH CAP, PK/5

YELLOW

cancerdiagnostics.com

MADE IN USA

Shake well before using

Apply dye to fresh or frozen fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

ORANGE

Warning: Causes skin irritation. Causes eye irritation. Wash skin thoroughly after handling. Wear eye and face protection. Take off contaminated clothing and wash it before reuse. Store Locked Up. Dispose of contents in accordance with local regulations.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Wash with plenty of soap and water. If red or skin irritation persists, Get medical advice or attention.

 Cancer Diagnostics, Inc.
4200 Superior Blvd, #400, Durham NC 27705 USA
 and Europa GmbH Langenloper Str. 71 D-30855
Langenhagen Germany +49 511 3908 9330



100% (100%)
100% (100%)



24 Hour Emergency Contact: USA and Canada 800-434-9300

MX1234 Applicator Series, Orange AW-17215 Rev.B 2020-02-05



CANCER
DIAGNOSTICS, INC.

CDI's®

Tissue Marking Dye
APPLICATOR SERIES™

REF 0726-6

.10 FL. OZ., (3ML), FINE LINE BRUSH CAP, PK15

ORANGE

cancerdiagnostics.com

MADE IN USA

Shake well before using

Apply dye to fresh or frozen fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

VIOLET

Warning: Causes skin irritation. Causes eye irritation. Wash skin thoroughly after handling. Wear eye and face protection. Take off contaminated clothing and wash it before reuse. Store Locked Up. Dispose of contents in accordance with local regulations.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Wash with plenty of soap and water. If red or skin irritation persists. Get medical advice or attention.

 Cancer Diagnostics, Inc.
4200 Superior Blvd, #400, Durham NC 27705 USA
 and Europa GmbH Langenloper Str. 71 D-30855
Langenhagen Germany +49 51 1-3908 9330



100% (100%)
100% (100%)



24 Hour Emergency Contact: USA and Canada 800-424-9300
MX) 235 Applicator Series, Violet AYW-17216 Rev.B 2020-02-05



CANCER
DIAGNOSTICS, INC.

CDI's®

Tissue Marking Dye

APPLICATOR SERIES™

REF 0726-7

.10 FL. OZ., (3ML), FINE LINE BRUSH CAP, PK/5

VIOLET

cancerdiagnostics.com

MADE IN USA

Shake well before using

Apply dye to fresh or frozen fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

GOLD

Warning: Causes skin irritation. Causes eye irritation. Wash skin thoroughly after handling. Wear eye and face protection. Take off contaminated clothing and wash it before reuse. Store Locked Up. Dispose of contents in accordance with local regulations.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Wash with plenty of soap and water. If red or skin irritation persists, Get medical advice or attention.



CANCER
DIAGNOSTICS, INC.

CDI's®

Tissue Marking Dye

APPLICATOR SERIES™



Cancer Diagnostics, Inc.
4200 Superior Blvd, #400, Durham NC 27705 USA



and Europa GmbH Langenloper Str. 71 D-30855
Langenhagen Germany +49 511 3908 9330



1-800 (20°C)
800 (10°C)



24 Hour Emergency Contact: USA and Canada 800-424-9300

MX1236 Applicator Series, Gold AYW-17217 Rev.B 2020-02-05

REF 0726-8

.10 FL. OZ., (3ML), FINE LINE BRUSH CAP, PK15

GOLD

cancerdiagnostics.com

MADE IN USA

Shake well before using

Apply dye to fresh or frozen fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

TEAL

Warning: Causes skin irritation. Causes eye irritation. Wash skin thoroughly after handling. Wear eye and face protection. Take off contaminated clothing and wash it before reuse. Store Locked Up. Dispose of contents in accordance with local regulations.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Wash with plenty of soap and water. If red or skin irritation persists, Get medical advice or attention.



CANCER
DIAGNOSTICS, INC.

CDI's®

Tissue Marking Dye
APPLICATOR SERIES™



Cancer Diagnostics, Inc.
4200 Superior Blvd, #400, Durham NC 27705 USA



and Europa GmbH Langenloper Str. 71 D-30855
Langenhagen Germany +49 51 1 3908 9330



39°F (4°C) - 86°F (30°C)



24 Hour Emergency Contact: USA and Canada 800-424-9300

MX1237 Applicator Series, Teal AW-17218 Rev.B 2020-02-05

REF 0726-9

.10 FL. OZ., (3ML), FINE LINE BRUSH CAP, PK/5

TEAL

cancerdiagnostics.com

MADE IN USA

Shake well before using

Apply dye to fresh or frozen fixed tissue. Only small amounts of dye are necessary for effective marking. Do not apply to living patients. Refer to SDS for more information.

MAGENTA



CANCER
DIAGNOSTICS, INC.

CDI's®

Tissue Marking Dye

APPLICATOR SERIES™

Warning: Causes skin irritation. Causes eye irritation. Wash skin thoroughly after handling. Wear eye and face protection. Take off contaminated clothing and wash it before reuse. Store Locked Up. Dispose of contents in accordance with local regulations.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN:** Wash with plenty of soap and water. If red or skin irritation persists. Get medical advice or attention.

 Cancer Diagnostics, Inc.
4200 Superior Blvd, #400, Durham NC 27705 USA
 and Europa GmbH Langenloper Str. 71 D-30855
Langenhagen Germany +49 511 3908 9330



1-800 (30°C)
30°F (10°C)



24 Hour Emergency Contact: USA and Canada 800-424-9300

MX1238 Applicator Series, Magenta AW-17219 Rev.B 2020-02-05

REF 0726-10

.10 FL. OZ., (3ML), FINE LINE BRUSH CAP, PK15

MAGENTA

cancerdiagnostics.com

MADE IN USA