



## Alcian Blue pH 1.0

## Solutions Provided:

#SSC1033-250 - Acetic Acid 3% #SSC1039-250 - Alcian Blue, pH 1.0 #SSC1099-250 - Nuclear Fast Red

## **Conventional Procedure**

- 1. Deparaffinize and hydrate sections through alcohol to distilled water.
- 2. Place slides in Acetic Acid, 3% for 3 minutes.
- 3. Place slides directly in **Alcian Blue**, **pH 1.0** for 30 minutes at room temperature.
  - a. Alternatively, slides may be placed in Alcian Blue, pH 1.0 for 15 minutes in a 37°C water bath.
- 4. Briefly rinse in slides in **Acetic Acid**, 3% to remove any excess Alcian Blue from the sections.
- Wash slides in running tap water for 1 minute.
  - a. For best results, omit the rinse step and blot sections dry with fine filter pater. This will eliminate any nonspecific staining that may occur from the rinse step due to a change in pH.
- 6. Counterstain slides in Nuclear Fast Red for 5 minutes.
- 7. Wash slides in running tap water for 1-2 minutes.
- 8. Dehydrate slides in 2 changes each of 95% alcohol and 100% alcohol.
- 9. Clear in 2-3 changes of xylene and mount with appropriate mounting medium.

## Results:

Sulfated mucosubstances: Blue Nuclei: Pink to Red Background & Cytoplasm: Pink